Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 19

MAY 11, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Epidemic cerebrospinal meningitis 687
Vaccine virus—Should always be kept on ice 687
Smallpox 688
Conference of health authorities—United States Public Health Service in annual conference with State and Territorial health authorities, Washington, April 30 and May 1, 1917 689
Drinking fountains—Investigation of fountains at the University of Minnesota .. 691
Mechanical fans—Their use to increase the efficiency of fumigating gases 699

PREVALENCE OF DISEASE.

United States:
Cerebrospinal meningitis—
Recent prevelance in certain States 703
Hawaii report for March, 1917 704
City reports for week ended April 21, 1917 704
Erysipelas—
City reports for week ended April 21, 1917 705
Malaria—
City report for week ended April 21, 1917 705
Measles—
California—Los Angeles 705
Georgia—Savannah 705
Washington—Seattle 705
Pellagra—
City reports for week ended April 21, 1917 705
Pneumonia—
City reports for week ended April 21, 1917 706
Poliomyelitis (infantile paralysis)—
City reports for week ended April 21, 1917 706
Rabies in animals—
South Carolina—Spartanburg 706
City reports for week ended April 21, 1917 706
Rocky Mountain spotted fever—
Washington—Odessa 706
Smallpox—
Connecticut 707
Illinois—Cairo 707
Minnesota 707
Oklahoma—Kusa 707
Texas—Galveston 707
Montana report for January, 1917 708
Montana report for February, 1917 708
Miscellaneous State reports 709
City reports for week ended April 21, 1917 709
Tetanus—
City reports for week ended April 21, 1917 709

United States—Continued.
Typhoid fever— Page.
Massachusetts—Gardner ... 709
State reports for March, 1917 ... 710
Montana report for January, 1917 ... 710
Montana report for February, 1917 ... 710
City reports for week ended April 21, 1917 ... 710
Typhus fever—
Texas ... 711
City report for week ended April 21, 1917 ... 711
Preventable diseases—
California report for week ended April 21, 1917 ... 711
Massachusetts report for week ended April 21, 1917 ... 712
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for January, February, and March, 1917 ... 712
City reports for week ended April 21, 1917 ... 713
Foreign:
Argentina—
Plague—1899-1916 ... 716
China—
Plague-infected rats—Hongkong ... 716
Cuba—
Communicable diseases—Habana ... 716
Union of South Africa—
Status of plague—Orange Free State ... 716
Uruguay—
Measures against importation of poliomyelitis ... 717
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended May 11, 1917—
Cholera ... 717
Plague ... 717
Smallpox ... 717
Typhus fever ... 718
Reports received from December 30, 1916, to May 4, 1917—
Cholera ... 718
Plague ... 720
Smallpox ... 722
Typhus fever ... 726
Yellow fever ... 727